

Frank N. Plotnik

ENGINEERING & ARTIST MATERIALS
REPRODUCTION SERVICE - OFFICE FURNITURE

HUDSON VALLEY BLUE PRINT CO.
29 Academy Street
Poughkeepsie, New York

GRover 1-3535

engineering
drawings,
vellums
and prints

architectural
plans, prints
and
renderings

builders'
and bankers'
development
plans and
specifications

topographic
maps and
charts

all
large sheet
materials



**PLAN HOLD®
FILING
SYSTEMS**



© 1963 PLAN HOLD CORPORATION

PLAN HOLD® FILING SYSTEMS

CATALOG NO. 63



PLAN HOLD® FILING SYSTEMS

Benefits for the User. PLAN HOLD Corporation has attained its position as world's largest manufacturer of plan filing systems because PLAN HOLD equipment assures certain benefits to the user.

1. Protection of your investment in expensive plans and drawings. No punched holes or other damage to sheets. They stay clean, flat, free of wrinkles, ready to use or reproduce.

2. Reduced overhead expense. No clerical time lost in filing or finding the sheet you want. A sheet can be inserted in or removed from a PLAN HOLD binder in seconds. All PLAN HOLD Files provide for fast identification of contents.

3. Space savings. Up to 600 sheets can be filed in only 12" of wall space. Other file types are equally efficient. Roll files can be stacked from floor to ceiling.

4. Accessibility. PLAN HOLD Files can be positioned to speed work procedures, in office, plant or at work site. Mobile models speed use between 2 or more desks or departments.

5. Expandable with your needs. There's a model to suit your present needs in terms of file capacity and space limitations. And because PLAN HOLD equipment comes in modular sizes, your original file is easily expanded as necessary.

6. Adaptable to your purpose. Whether you work with single sheets or bulky sets of plans in office, drafting room, plant or field, there is a PLAN HOLD model to suit your purpose.

Patent Notice. Features of PLAN HOLD products are protected by Patents 2,869,210 and 2,990,961 and other U.S. and foreign patents pending.


Fabrication and Finishes. PLAN HOLD products, unless otherwise noted, are made of high grade primary anodized aluminum or furniture steel, electrically welded, and finished in baked grey enamel. Other enamel colors are available on special order at added cost.

Guarantee. Plan Hold Corporation guarantees its products. It will replace defective parts free of charge that are shipped prepaid to Plan Hold Corp., 21611 Perry St., Torrance, Calif.

CAPACITY AND CHARACTERISTICS OF PLAN HOLD VERTICAL FILES

Maximum size of sheets	No. of sheets	Type of binder	PLAN HOLD File Name	See catalog page
42" x any length	1200	"C"	Wall Rack	4
42" x any length	600	"C"	Wall Rack	4
42" x 64"	1200	"C"	Rolling Stand	5
24" x 36"	2400	"C"	Double Rolling Stand	5
42" x any length	2400	"C"	Swingaway Rack	4
42" x 54"	3000	"C"	Carousel Rack	5
36" x 48"	1200	"C"	Combo Cabinet	5
42" x 60"	2000	"C"	Filing Cabinet	5
42" x 54"	1800	"C"	Spacesaver Cabinet	5
36" x 34"	1200	"S"	Caddy Rack	3
No limit	100	"SF"	Vertical Sheet	6
36" x any length	200	"SF"	Vertical Sheet	6
36" x 48"	200	"SF"	Combo Cabinet	6

See page 7 for PLAN HOLD Files for rolled drawings and materials.



PLAN HOLD Friction Binder. This patented binder is the secret of efficient vertical filing. It is exclusive with PLAN HOLD: Type "S" shown on page 3 and Type "C" on page 4. When the wing knobs are loosened, the clamp opens, spring operated, to accept up to an average 100 sheets' thickness. Then tighten the knobs and the clamp closes tight enough to secure a single sheet . . . without punching holes or damaging the sheets in any way.



PLAN HOLD FILES FOR ROLLED DRAWINGS AND PLANS



Square Tube Roll Files. Basic unit is a cabinet made of furniture steel $15\frac{5}{8}$ " wide x $15\frac{5}{8}$ " high with depth determined by length of tubes. Heavy fiberboard square tubes, aluminum reinforced, are secured firmly in the cabinet which can be placed in either horizontal or vertical position . . . singly on a desk, carried to work site or any number of units assembled into a permanent master file.

Catalog No. ST-36: Square Tube Cabinet with 36 tubes, $2\frac{1}{8}$ " square.

Catalog No. ST-16: Square Tube Cabinet with 16 tubes, $3\frac{3}{8}$ " square.

Catalog No. ST-09: Square Tube Cabinet with 9 tubes, $4\frac{1}{2}$ " square.

Tube lengths: $25\frac{3}{8}$ ", $31\frac{3}{8}$ ", $37\frac{3}{8}$ " or $43\frac{3}{8}$ ". Tubes hold materials $\frac{1}{2}$ " longer than tube length.


Spring latched doors with continuous hinges. Inside of door carries master location card for identification of each tube. If doors are not desired, order must so state.

Optional base: all steel $3\frac{3}{8}$ " high. Gives finished appearance to permanent files. **Catalog No. ST-01.**

See current Price List for sizes, prices, shipping weights and component parts.



Small tube stack roll file unit. **Catalog No. SRL.**



Large tube stack roll file unit. **Catalog No. LRL.**

Stack Roll Files. Made up of individual units, each of which has 4 moisture resistant duro tubes, with aluminum reinforcing, firmly housed in a furniture steel shell. Designed to stack one unit atop another. Separate bases and tops available to give finished appearance to each stack. In this way a single rigid file of any size can be assembled in minutes.

Catalog No. SRL: Stack Roll File Unit with 4 tubes $2\frac{5}{8}$ " diameter.

Catalog No. LRL: Stack Roll File Unit with 4 tubes $4\frac{7}{8}$ " diameter.


Tube lengths: from $23\frac{1}{2}$ " to $59\frac{1}{2}$ " at 6" increments, to accommodate materials from 24" to 60" wide. Contents project $\frac{1}{2}$ " for easy removal. Pressboard inserts are furnished with each unit that can be cut to desired length and inserted in tube as backstop for short materials.

Optional doors. Attach to unit housing without tools. Spring latches. Carry a 2" x 2" I.D. card for each tube.

Catalog No. SD doors for SRL unit. **Catalog No. LD** for LRL unit. Note 2 doors are needed for one LRL unit.

Optional base and top. Sold only as a pair. **Catalog No. BT.**

Catalog No. CDL: Self adhesive plastic identification card holders with I.D. cards for units without doors.



Cabinet Roll File

Catalog No. SRCM: Complete unit consists of Combo Cabinet fitted with 48 tubes, $2\frac{5}{8}$ " diameter. Tube lengths: $23\frac{1}{2}$ ", $29\frac{1}{2}$ " or $35\frac{1}{2}$ ".

Catalog No. LRCM: Complete unit consists of Combo Cabinet fitted with 16 tubes, $4\frac{7}{8}$ " diameter. Tube lengths: $23\frac{1}{2}$ ", $29\frac{1}{2}$ " or $35\frac{1}{2}$ ".



PLAN HOLD FILING SYSTEMS


...bringing order out of chaos,
saving space, reducing over-
head, speeding use in many
industries



Pardee Construction Co. Stack roll file
for sets of tract development plans.




Del E. Webb Construction Co. Wall rack
file in mobile office trailer at job site.



"Southwest Builder and Contractor."
Wall rack files in Plan Room operated by
this publisher for use of contractors.



Lincoln Savings and Loan Association.
Stack roll file of plans relative to con-
struction loans in vault.



Government Public Works Office. Rolling
stand files in drafting room.



Sonotec Incorporated. Single sheet file
of original drawings for printed circuitry.



Chemet Engineers, Inc. Cabinet file for
industrial plant designs and drawings.

PLAN HOLD CORPORATION

World's largest manufacturer of plan filing systems

TORRANCE, CALIFORNIA

AURORA, ILLINOIS

Mail address: P.O. Box 90913, Airport Station,
Los Angeles 9, California


DISTRIBUTED BY

HUDSON VALLEY BLUE PRINT CO.

29 ACADEMY ST.

POUGHKEEPSIE, NEW YORK

See why more firms are organizing plans and drawings with PLAN HOLD Filing Systems




Bank of 54 Plan Hold Stack Roll Files at The Pardee Construction Company.



Stack Roll Files organize more than 25,000 drawings at Autonetics Division of North American Aviation.



Rolling stand brings drawings to where they are needed at Welton Becket and Associates, Architects and Engineers.



Plan Hold's Vertical Wall Rack can hold up to 2400 drawings at Selected Interiors, Inc.

It's Worth a Call

Leading architects, engineers, contractors, banks and industrial firms are finding that filing plans is no longer a disorganized mess. One of Plan Hold's systems for filing drawings and plans can be the answer for you, too. Call us and we'll explain.

HUDSON VALLEY BLUE PRINT CO.

29 ACADEMY ST.


POUGHKEEPSIE, NEW YORK

Mr. T. Nelson


Box 1546

Poughkeepsie, N.Y.


12603



Type "S" Friction Binder. This aluminum binder employs the patented PLAN HOLD features described on page 2. The binder channel extends 3" beyond each end of the clamp to afford support in the Caddy Rack. Clamp lengths from 18" to 48" at 6" intervals. Other lengths available on special order. Type "S" Binders can also be used in conventional suspension racks. Binders are furnished with plastic ID windows and identification cards.
Catalog No. S.



PLAN HOLD Table Clamps. Attach to any table top up to 1 3/4" thick. Designed to grip the PLAN HOLD binder . . . lets you leaf through the entire file without chance of its slipping off the table. Sheets lie flat, easy to work with. Sold in pairs only.
Catalog No. TC.



PLAN HOLD Protecto Covers. Made of heavy gauge fire-resistant vinyl plastic to protect materials filed in PLAN HOLD binders. For binder clamp lengths from 18" to 42" to cover sheets from 30" to 54" long.
Catalog No. PC.



PLAN HOLD®

CADDY RACK FILE

This heavy gauge steel file is equally useful in office or field. Mobile on ball bearing casters, it can be transported to the work site where, when equipped with the optional reference table, it serves as a complete plans office. The table, which can be folded flat when not in use, has PLAN HOLD table clamps that grip the binder and keep the file of plans secure and flat. The Caddy Rack takes 12 Type "S" Binders with a capacity for 1200 average sheets. It is 12" wide and 36" high and comes in 3 sizes to take sheets 24", 30" or 36" in binding width x 34" long. Height can be increased 10" by addition of an extension frame.

Catalog No. PHCR: Complete unit consists of Caddy Rack and 12 Type "S" Binders.

Catalog No. PHCRT: Complete unit as in No. PHCR plus table.

Catalog No. CRX: Extension frame to be affixed to either of above units so that sheets 44" rather than 34" long can be filed in the rack without touching its bottom.



See current Price List for sizes, prices, shipping weights and component parts.



PLAN HOLD VERTICAL FILES WITH TYPE "C" BINDERS




Wall Rack File Wall rack files can be mounted out of the way in individual offices or combined into large capacity master files for either active plans or storage. The steel wall rack mount, either 12" or 24" long, is designed to accept Type "B" Brackets with Type "C" Binders.

Catalog No. PHWR: Complete unit consists of 24" wall rack mount, 12 Type "B" Brackets and 12 Type "C" Binders. Capacity 1200 sheets.


Catalog No. PHWS: Complete unit consists of 12" wall rack mount, 6 Type "B" Brackets and 6 Type "C" Binders. Capacity 600 sheets.

Swingaway Rack File

Needs only 1½" of mounting space. Folds parallel to wall, projecting only 15". Capacity 2400 sheets up to 42" wide x any length.




Catalog No. PHSR: Complete unit includes Swingaway Rack, 24 Type "B" brackets and 24 Type "C" binders.



Type "C" Friction Binder This aluminum binder employs the patented PLAN HOLD features described on page 2. A slip-over clip with spring locking action is attached to the channel whereby the binder is secured to a Type "B" (see below) bracket in the file. Clamp lengths from 18" to 42" at 6" intervals. Other lengths available on special order. Binders are furnished with plastic ID windows and identification cards.
Catalog No. C.




Type "B" Bracket Used only with Type "C" binders, which clip onto the bracket in the file. The bracket pivots permitting free access to the binder for effortless insertion in, or removal from, the file. **Catalog No. B.**



PLAN HOLD Data Files Data Files are designed to hold specifications, catalogs and similar materials associated with work plans. Each Data File measures 1¾" wide, 11½" deep, 8" high. They can be mounted above Wall Rack Files or interspersed with Type "C" binders in the file. Data Files can also be added to the Rolling Stand File and are an integral part of the Spacesaver Cabinet File. See page 5. Identification labels are provided with each Data File.

Catalog No. DFU: Complete unit consists of one 24" Wall Rack Mount and 12 Data Files.

Catalog No. DFUS: Same as catalog No. DFU but with rack mount to fit on Rolling Stand File.




Rolling Stand with Data Files
Catalog No.: PHWRS

Rolling Stand File Similar to the 24" Wall Rack File but mounted on a mobile stand of square tubular construction for extra strength and neat appearance. Gliding on ball bearing casters equipped with brakes, this mobile file speeds use between 2 or more desks or departments. Height is adjustable for filing sheets up to 52" long. With **Catalog No. RSX** extension, sheet length capacity is increased to 64". Capacity 1200 sheets.

Catalog No. PHRS: Complete unit consists of mobile stand, 12 Type "B" brackets and 12 Type "C" binders.


Catalog No. PHWRS: Complete unit as in No. PHRS but with addition of 12 Data Files.



PLAN HOLD CABINET VERTICAL FILES with Type "C" Binders For complete protection of valuable plans, including lock and key security, PLAN HOLD offers 3 cabinet models for vertical files using Type "C" Binders.

Catalog No. PHCM: Complete unit consists of the popular all steel Combo Cabinet with a slide-out rack and 12 Type "C" Binders. Capacity 1200 sheets. The cabinet measuring 52" high and 15½" wide integrates perfectly with standard drawer files. Door handle fitted with cylinder lock.

See current Price List for sizes, prices, shipping weights and component parts.



Double Rolling Stand File Similar to Rolling Stand described above but with capacity for 2400 sheets up to 24" x 36" maximum.


Catalog No. PHRSD: Complete unit consists of Double Rolling Stand, 24 Type "B" brackets and 24 Type "C" binders.



Carousel Rack File

Turntable action permits filing from any position. Steel base with heavy duty casters. Stands 64" high but center post can be cut down. Capacity 3000 sheets up to 42" x 54".

Catalog No. PHCU: Complete unit consists of Carousel Rack, 30 Type "B" brackets and 30 Type "C" binders.




Catalog No. PHFC: Complete unit consists of the Plan Hold "Filing Cabinet" equipped with 20 Type "B" brackets and 20 Type "C" binders. Capacity 2000 sheets. Top opens for easy access to files. Door has cylinder lock.




Catalog No. PHSC: Complete unit consists of the Plan Hold "Spacesaver Cabinet" fitted with a swing-out rack to accommodate 18 Type "B" brackets and 18 Type "C" binders, plus 18 Data Files mounted above the swing-out rack. This all steel cabinet is only 26½" deep and thus fits flush with standard drawer files. Cylinder lock in door handle.



PLAN HOLD VERTICAL SHEET FILES WITH "SF" HANGERS




Very efficient for those who wish to keep active working drawings and plans readily accessible. Remarkably inexpensive . . . so that you can afford to place these Vertical Sheet Files wherever they will speed work throughout office and plant. Instead of the patented PLAN HOLD friction binder, these Vertical Sheet Files employ an aluminum "SF" hanger. Loosen the wing knobs and the 3 spring clips open to take from one to 10 sheets of average thickness. Tighten the knobs and the sheets are securely held without punching holes or other damage. Related notes or data sheets can also be clipped in.




Catalog No. SFCM Cabinet File. Complete unit consists of the steel Combo Cabinet fitted with rack to support the hangers and 20 SF Hangers. Capacity 200 sheets up to 36" x 48" in size.



Hangers for Single Sheets. Although SF Hangers can be used to file sheets individually, PLAN HOLD offers a rigid extruded aluminum hanger (**Catalog No. XH**) to which a single sheet can be affixed with aluminum foil "Kum-Kleen" adhesive fasteners; and a flexible self-adhesive press board hanger (**Catalog No. SA**). Both the aluminum and press board hangers are notched to fit any of the SF Files shown on this page.



Catalog No. SF-10 Vertical Sheet File. Complete unit consists of a neat chrome steel wall rack and 10 SF Hangers. No limit on the size of sheets to be filed. They are suspended parallel to wall. Capacity 100 sheets.



Catalog No. SF-20 Vertical Sheet File. Complete unit includes 12" steel wall mount and rack to fit into the mount, plus 20 SF Hangers. Rack is adjustable to accept sheets up to 36" wide. Sheets are suspended at right angles to wall. Capacity 200 sheets.

If you will fill in the information through point 6 we will recommend the PLAN HOLD equipment which will prove most efficient for your requirements. Merely return this form to us. There is no obligation.



Return to:

HUDSON VALLEY BLUE PRINT CO.
29 ACADEMY ST.
POUGHKEEPSIE, NEW YORK

PLAN FILING

SURVEY SHEET

For:
Your Name _____ Title _____
Company Name _____
Address _____ Date _____
City & State _____

Plan Filing Requirements:

1. _____ sets of plans. Approximately _____ sheets per set.
2. Plans to be filed are _____" wide x _____" long.
3. Space available to file above plans is:
 - a. Floor area _____" wide x _____" deep.
 - b. Wall area _____" wide x _____" high.
4. Type of file preferred:
____ Wall Mounted Rack
____ Cabinet W/Lock and Key
____ Free Standing Rack
____ Tube Files for Rolled Drawings
____ Other (Describe) _____
5. Specifications and related data filing requirements: _____

6. Remarks: _____

To meet the above plan filing requirements we recommend:


Quantity	Catalog No.	Description	Unit Cost	Total Cost*

*Prices are list F.O.B. destination (continental U.S.A.). See current price list for quantity discounts, etc.

Submitted by: _____ Date: _____




FRICTION BINDERS



SHEET HANGERS




WALL RACK UNITS




**VERTICAL
SHEET FILES**




ROLLING STANDS



DATA FILES




SQUARE TUBE FILES



CADDY RACK UNITS



COMBO CABINETS



STACK ROLL FILES

Plan Hold



FILING SYSTEMS

CONSOLIDATED PRICE LIST

FOR USE WITH CATALOG NO. 63

EFFECTIVE AUGUST 1, 1963

SUPERSEDES ALL PREVIOUS LISTS

QUANTITY DISCOUNTS

To establish quantity discount, only the total list price of one order, shipped to one destination may be considered. List prices do not include any local sales tax or taxes:

TOTAL LIST PRICE (one order)	QUANTITY DISCOUNT
less than \$ 500.00	no discount
\$ 500.00 to 749.99	10%
750.00 to 999.99	15%
1,000.00 to 1,999.99	17½%
2,000.00 and over	20%

All prices are F.O.B. destination to any point within the United States (Alaska and Hawaii excepted).

The products of PLAN HOLD CORP. are Fair Traded

Plan Hold

The modern, efficient business tool for all who use large sheet material: plans, blue prints, drawings, maps, charts.

ORDERING INFORMATION: To avoid unnecessary delay and possible error, please order by Catalog No. (as shown in catalog).

Manufactured by:

PLAN HOLD CORPORATION

Torrance, California • Aurora, Illinois

Mail address: P.O. Box 90913, Airport Station

Los Angeles 9, California

World's largest manufacturer of plan filing systems

© 1963. Printed in U.S.A.


Distributed by

HUDSON VALLEY BLUE PRINT CO.






29 ACADEMY ST.

ROUGHEEPSIE, NEW YORK



COMPLETE VERTICAL and ROLL FILING UNITS

CAT. NO. 63 PAGE	DESCRIPTION	CAT. NO.	MAXIMUM SHEET FILING SIZE		COMPLETE FILE SIZE			SHPG. WT. (EA.)	NO. OF CTNS.	PRICE
			WIDTH	LENGTH	WIDTH	DEPTH	HEIGHT			
3	 Caddy Rack with folding table, built-in table clamps, and 12 type S PLAN HOLD Binders. Rack and table each shipped assembled. (1) Sheet length and height can be increased 10" with Cat. No. CRX extension. (2) With table in use this dimension is 48 3/4".	PHCRT-24	24"	34" See	26"	13 1/2"	37 1/2" See	71	3	103.15
		PHCRT-30	30"	34" note	32"	13 1/2" note	37 1/2" note	83	3	114.15
		PHCRT-36	36"	34" (1)	38"	13 1/2" (2)	37 1/2" (1)	95	3	125.15
		CRX		44"			10"	8	1	10.25
3	 Caddy Rack with 12 type S PLAN HOLD Binders (less table). Rack shipped assembled. (1) Sheet length and height can be increased 10" with Cat. No. CRX extension.	PHCR-24	24"	34" See	26"	12"	37 1/2" See	51	2	78.00
		PHCR-30	30"	34" note	32"	12"	37 1/2" note	60	2	87.00
		PHCR-36	36"	34" (1)	38"	12"	37 1/2" (1)	69	2	96.00
		CRX		44"			10"	8	1	10.25
4	 Wall Rack Mount with 12 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Height of file and sheet length depend on placement of Wall Rack Mount.	PHWR-18	18"	See note	24"	21 1/8"	See note	28	3	86.20
		PHWR-24	24"	(1)	24"	27 1/8"	note	33	3	92.20
		PHWR-30	30"		24"	33 1/8"	(1)	34	3	98.20
		PHWR-36	36"		24"	39 1/8"		39	3	104.20
		PHWR-42	42"		24"	45 1/8"		41	3	110.20
4	 Wall Rack Mount with 12 type DF Data Files. Shipped knocked down. Easily assembled. (1) Each Data File has a filing capacity of 1 3/4" and is 8" high x 11 1/2" deep.	DFU	See note (1)	See note (1)	24"	12"	9 1/2"	23	2	25.00
4	 Swingaway Rack with 24 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Height of file and sheet length is determined by placement of Swingaway Rack.	PHSR-18	18"	See note	42 1/2"	15"	See note	58	6	179.85
		PHSR-24	24"	(1)	54 1/2"	15"	note	64	6	191.85
		PHSR-30	30"		66 1/2"	15"	(1)	70	6	203.85
		PHSR-36	36"		78 1/2"	15"		80	6	215.85
		PHSR-42	42"		90 1/2"	15"		84	6	227.85
4	 Wall Rack mount with 6 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Height of file and sheet length depend on placement of Wall Rack Mount.	PHWS-18	See note	See note	12"	21 1/8"	See note	15	3	44.45
		PHWS-24	note	(1)	12"	27 1/8"	note	17	3	47.45
		PHWS-30	(1)		12"	33 1/8"	(1)	18	3	50.45
		PHWS-36			12"	39 1/8"		20	3	53.45
		PHWS-42			12"	45 1/8"		23	3	56.45
5	 Rolling Stand with 12 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Adjustable 36" to 52". For 64" length use extension Cat. No. RSX. (2) Adjustable 40" to 56". With Cat. No. RSX height is 68".	PHRS-18	18"	See note	25 1/2"	26"	See note	54	3	120.85
		PHRS-24	24"	(1)	25 1/2"	27 3/4"	note	57	3	126.85
		PHRS-30	30"		25 1/2"	33 3/4"	(2)	60	3	132.85
		PHRS-42	42"		25 1/2"	45 3/4"		67	3	144.85
		RSX						1	1	6.15
5	 Extension type rack mount with 12 type DF Data Files for use with Rolling Stand file only. (1) Each file has capacity of 1 3/4" and is 8" high x 11 1/2" deep.	DFUS	See note (1)	See note (1)	25 1/2"	12 1/2"	10"	27	2	28.05
5	 Double Rolling Stand with 24 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Adjustable 24" to 36". (2) Adjustable 30" to 42".	PHRSD-18	18"	See note	18 1/2"	42 1/4"	See note	61	5	193.35
		PHRSD-24	24"	(1)	18 1/2"	54 1/4"	(2)	67	5	205.35
5	 Carousel Rack with 30 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled. (1) Height of rack and sheet length can be reduced by cutting length of center post.	PHCU-18	18"	54" See	50 1/2"	50 1/2"	64" See	106	9	274.90
		PHCU-24	24"	54" note	61 3/4"	61 3/4"	note	112	9	289.90
		PHCU-30	30"	54" (1)	73 3/4"	73 3/4"	64" (1)	118	9	304.90
		PHCU-36	36"	54"	85 3/4"	85 3/4"	64"	128	9	319.90
		PHCU-42	42"	54"	97 3/4"	97 3/4"	64"	139	9	334.90
5	 Combo Cabinet with type MK Slide-Out Rack and 12 type C PLAN HOLD Binders. Cabinet shipped assembled. Slide-Out Rack installs easily without tools.	PHCM-18	18"	48"	15 1/2"	22"	52"	81	3	112.10
		PHCM-24	24"	48"	15 1/2"	28"	52"	99	3	128.10
		PHCM-30	30"	48"	15 1/2"	34"	52"	109	3	144.10
		PHCM-36	36"	48"	15 1/2"	40"	52"	123	3	160.10
5	 Filing Cabinet with 20 type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled.	PHFC-30-24	24"	48"	34"	36"	52"	185	5	265.55
		PHFC-30-30	30"	48"	34"	36"	52"	230	5	275.55
		PHFC-42-36	36"	60"	34"	48"	64"	248	5	325.55
		PHFC-42-42	42"	60"	34"	48"	64"	252	5	335.55
5	 Spacesaver Cabinet with 18 type DF Data Files, type B Brackets and type C PLAN HOLD Binders. Shipped knocked down. Easily assembled.	PHSC-30-24	24"	48"	42"	26 1/2"	72"	256	7	318.45
		PHSC-30-30	30"	48"	42"	26 1/2"	72"	260	7	327.45
		PHSC-42-36	36"	48"	54"	26 1/2"	72"	333	7	376.45
		PHSC-42-42	42"	48"	54"	26 1/2"	72"	336	7	385.45
5	 Rolling Stand with 12 type B Brackets, type C PLAN HOLD Binders and WRS Data File extension with 12 type DF Data Files. (1) Adjustable 36" to 52". For 64" length use extension Cat. No. RSX. (2) Adjustable 50" to 66". With Cat. No. RSX height is 78".	PHWRS-18	18"	See note	25 1/2"	26"	See note	81	5	148.90
		PHWRS-24	24"	note	25 1/2"	27 3/4"	note	84	5	154.90
		PHWRS-30	30"	(1)	25 1/2"	33 3/4"	(2)	85	5	160.90
		PHWRS-36	36"		25 1/2"	39 3/4"		92	5	166.90
		PHWRS-42	42"		25 1/2"	45 3/4"		94	5	172.90
6	 Adjustable Sheet Rack with 12 dozen type SA Self-Adhesive Hangers. (1) Hangers may be cut to lesser length with scissors. Rack is adjustable 20 3/4" to 37 1/8". (Rack mount not included). (2) Height of file and sheet length is determined by placement of rack.	SAXRA-18	18"	See note	12"	See note	See note	11	2	30.60
		SAXRA-36	36"	note (1)	12"	note (1)	note (2)	17	2	45.00
6	 Adjustable Sheet Rack with 4 dozen type XH Aluminum Hangers and 2 gross aluminum foil Kum-Kleen adhesive fasteners. Shipped knocked down. Easily assembled. (1) Height of file and sheet length is determined by placement of rack (rack mount not included).	XHXRA-18	18"	See note	12"	20 3/4"	See note	11	2	23.60
		XHXRA-24	24"	note	12"	25 1/8"	note	13	2	26.60
		XHXRA-30	30"	(1)	12"	31 1/8"	(1)	15	2	29.60
		XHXRA-36	36"		12"	37 1/8"		17	2	32.60

COMPLETE VERTICAL and ROLL FILING UNITS

CAT. NO. 63 PAGE	DESCRIPTION	CAT. NO.	MAXIMUM SHEET FILING SIZE		COMPLETE FILE SIZE			SHPG. WT. (EA.)	NO. OF CTNS.	PRICE
			WIDTH	LENGTH	WIDTH	DEPTH	HEIGHT			
6	 Combo Cabinet with type MKX Slide-Out Rack and 12 dozen (144) type SA Self-Adhesive Pressboard Sheet Hangers. Cabinet shipped assembled. Slide-Out Rack installs easily without tools. 18" or 36" Hangers are furnished depending on size unit ordered. Hangers may be cut to lesser length with scissors.	SACM-18	18"	48"	15½"	22"	52"	71	3	78.50
		SACM-24	24"	48"	15½"	28"	52"	92	3	102.90
		SACM-30	30"	48"	15½"	34"	52"	103	3	112.90
		SACM-36	36"	48"	15½"	40"	52"	113	3	122.90
6	 Combo Cabinet with type MKX Slide-Out Rack and 12 dozen (144) type XH Aluminum Sheet Hangers. 4 gross (576) type AXF — 144 aluminum foil Kum-Kleen adhesive fasteners included. Cabinet shipped assembled. Slide-Out Rack installs easily without tools.	XHCM-18	18"	48"	15½"	22"	52"	71	3	98.70
		XHCM-24	24"	48"	15½"	28"	52"	106	3	117.70
		XHCM-30	30"	48"	15½"	34"	52"	127	3	136.70
		XHCM-36	36"	48"	15½"	40"	52"	136	3	155.70
6	 Wall Mount with 10 type SF PLAN HOLD Hangers. (1) Height of file and sheet length depend on placement of Wall Mount. (2) Hanger will hold any sheet size.	SF-10	See note (2)	See note (1)	See note (2)	5¼"	See note (1)	4	2	19.95
6	 Wall Mount with adjustable Hanger Rack and 20 type SF PLAN HOLD Hangers. (1) Height of file and sheet length depend on placement of Wall Mount.	SF-20	36"	See note (1)	12"	37½" max.	See note (1)	15	4	43.05
6	 Combo Cabinet with type MKX Slide-Out Rack and 20 type SF PLAN HOLD Hangers. Cabinet shipped assembled. Slide-Out Rack installs easily without tools.	SFCM-18	18"	48"	15½"	22"	52"	70	4	87.90
		SFCM-24	24"	48"	15½"	28"	52"	89	4	97.90
		SFCM-30	30"	48"	15½"	34"	52"	95	4	107.90
		SFCM-36	36"	48"	15½"	40"	52"	101	4	117.90
7	 Small tube Stack Roll File with 4, 2 5/8" I.D. Duro-Tubes in steel stacking shell (clips for fastening stacks together and tube length reduction insert included). (1) Rolled drawings of any length, if rolled to less than 2 5/8" diameter, may be filed. (2) This is a net dimension.	SRL-24	24"	See note (1)	12½"	23½"	4" See 7	5½	Packed 6 units per carton	5.50
		SRL-30	30"	See note (1)	12½"	29½"	4" note	7		6.00
		SRL-36	36"	See note (1)	12½"	35½"	4" (2)	8½		6.50
		SRL-42	42"	See note (1)	12½"	41½"	4"	10		7.00
		SRL-48	48"	See note (1)	12½"	47½"	4"	11½		7.50
		SRL-54	54"	See note (1)	12½"	53½"	4"	13		8.00
7	 Large tube Stack Roll File with 4, 4 7/8" I.D. Duro-Tubes in steel stacking shell (clips for fastening stacks together and tube length reduction insert included). (1) Rolled drawings of any length, if rolled to less than 4 7/8" diameter, may be filed. (2) This is a net dimension.	SRL-60	60"	See note (1)	12½"	59½"	4"	14½		8.50
		LRL-24	24"	See note (1)	12½"	23½"	12" See 25	25	Packed 6 units per carton	12.80
		LRL-30	30"	See note (1)	12½"	29½"	12" note	28		13.80
		LRL-36	36"	See note (1)	12½"	35½"	12" (2)	35		14.80
		LRL-42	42"	See note (1)	12½"	41½"	12"	37		15.80
		LRL-48	48"	See note (1)	12½"	47½"	12"	41		16.80
7	 Spring Latched Door with white 2" x 2" identification cards (10 other colors available). Fastens to Stack Roll Files without tools. 1 required for each Cat. No. SRL. 2 required for each Cat. No. LRL.	SD			12½"	1½"	3¼"	1	Packed 4 per carton	1.00
		LD			12½"	1½"	5½"	1½	Packed 6 per carton	1.30
7	 Matching base and top for all Stack Roll Files. (Sold only in sets — not separately). (1) This is a net dimension. When this dimension is added to the net height of the Stack Roll Files, the total is the overall height of the stack.	BT-24			12½"	23½"	4½"	6	1	6.50
		BT-30			12½"	29½"	4½"	8	1	7.00
		BT-36			12½"	35½"	4½"	10	1	7.50
		BT-42			12½"	41½"	4½"	12	1	8.00
		BT-48			12½"	47½"	4½"	14	1	8.50
		BT-54			12½"	53½"	4½"	15	1	9.00
7	 Combo Cabinet with 12 type SRL small tube Stack Roll Files (48, 2 5/8" diameter tubes) and type CBT special Base and Top. Shipped assembled. Components fit together easily without tools. (1) Any length rolled drawings, if less than 2 5/8" in diameter, may be filed.	BT-60			12½"	59½"	4½"	17	1	9.50
		SRCM-24	27"	See note (1)	15½"	28"	52"	144	4	126.55
7	 Combo Cabinet with 4 type LRL large tube Stack Roll Files (16, 4 7/8" diameter tubes) and type CBT special Base and Top. Shipped assembled. Components fit together easily without tools. (1) Any length rolled drawings, if less than 4 7/8" in diameter, may be filed.	SRCM-30	33"	See note (1)	15½"	34"	52"	159	4	142.05
		SRCM-36	39"	See note (1)	15½"	40"	52"	182	4	157.55
7	 Square tube Roll Files with 36, 2 1/8" square Aluminum reinforced tubes in heavy gauge steel stacking housing (tube length reduction inserts and identification cards included). (1) Rolled drawings of any length, if rolled to less than 2 1/8" diameter, may be filed. For units without doors deduct \$3.00 from list price. Weight of door, 3 lbs.	LRCM-24	27"	See note (1)	15½"	28"	52"	130	4	111.75
		LRCM-30	33"	See note (1)	15½"	34"	52"	145	4	125.25
		LRCM-36	39"	See note (1)	15½"	40"	52"	166	4	138.75
		ST-3624	25 7/8"	See note (1)	15 5/8"	26"	15 5/8"	30	1	38.95
7	 Square tube Roll Files with 16, 3 3/8" square Aluminum reinforced tubes in heavy gauge steel stacking housing (tube reduction inserts and identification cards included). (1) Rolled drawings of any length, if rolled to less than 3 3/8" diameter, may be filed. For units without doors deduct \$3.00 from list price. Weight of door, 3 lbs.	ST-3630	31 7/8"	See note (1)	15 5/8"	32"	15 5/8"	37	1	41.45
		ST-3636	37 7/8"	See note (1)	15 5/8"	38"	15 5/8"	42	1	43.95
		ST-3642	43 7/8"	See note (1)	15 5/8"	44"	15 5/8"	48	1	46.45
		ST-1624	25 7/8"	See note (1)	15 5/8"	26"	15 5/8"	29	1	44.95
7	 Square tube Roll Files with 9, 4 1/2" square Aluminum reinforced tubes in heavy gauge steel stacking housing (tube length reduction inserts and identification cards included). (1) Rolled drawings of any length, if rolled to less than 4 1/2" diameter, may be filed. For units without doors deduct \$3.00 from list price. Weight of door, 3 lbs.	ST-1630	31 7/8"	See note (1)	15 5/8"	32"	15 5/8"	36	1	47.45
		ST-1636	37 7/8"	See note (1)	15 5/8"	38"	15 5/8"	41	1	49.95
		ST-1642	43 7/8"	See note (1)	15 5/8"	44"	15 5/8"	47	1	52.45
		ST-0924	25 7/8"	See note (1)	15 5/8"	26"	15 5/8"	27	1	41.95
7	 Matching steel base for Square tube Roll Files above complete with clips for fastening bases together. Adds 3 3/8" to height of stack.	ST-0930	31 7/8"	See note (1)	15 5/8"	32"	15 5/8"	32	1	44.45
		ST-0936	37 7/8"	See note (1)	15 5/8"	38"	15 5/8"	37	1	46.95
		ST-0942	43 7/8"	See note (1)	15 5/8"	44"	15 5/8"	43	1	49.45
		ST-0124			15 5/8"	26"	3 3/8"	4	1	9.45
7		ST-0130			15 5/8"	32"	3 3/8"	5	1	9.95
		ST-0136			15 5/8"	38"	3 3/8"	6	1	10.45
		ST-0142			15 5/8"	44"	3 3/8"	7	1	10.95

ACCESSORY and COMPONENT PARTS -- OPEN STOCK PRICE LIST

CAT. NO. 63 PAGE	DESCRIPTION	CAT. NO.	SHEET WIDTH UNIT SIZE	EST. SHPG. WT. (EA.)	NO. PKD. PER CTN.*	PRICE EACH
3		S-1812	12"	3/4	12	3.60
		S-2418	18"	1	12	4.10
		S-3024	24"	1 1/4	12	4.60
		S-3630	30"	1 1/2	12	5.10
		S-4236	36"	1 3/4	12	5.60
		S-4842	42"	2	12	6.10
		S-5448	48"	2 1/4	12	6.60
3		18-PC	18"x30"	1/2	12	1.80
		24-PC	24"x36"	1	12	2.80
		30-PC	30"x42"	1 1/4	12	4.00
		36-PC	36"x48"	1 1/2	12	5.00
		42-PC	42"x54"	2	12	7.15
3		CRT-24	24"	55	Packed in 2 cartons	47.95
		CRT-30	30"	65		52.95
		CRT-36	36"	72		57.95
3		CR-24	24"	36	1	22.80
		CR-30	30"	42	1	25.80
		CR-36	36"	46	1	28.80
3		T-24	24"	19	1	25.15
		T-30	30"	23	1	27.15
		T-36	36"	26	1	29.15
3		TC		1/2	1 pr.	3.55 per pair
4		18-C	18"	1	12	4.60
		24-C	24"	1 1/2	12	5.10
		30-C	30"	1 3/4	12	5.60
		36-C	36"	2	12	6.10
		42-C	42"	2 1/2	12	6.60
4		B		1	12	2.30
4		WR		5	1	3.40
4		DF		18	12	1.80
4		SR		12	2	14.25
4		WS		3	1	3.05
5		RS		30	1	38.05
		RSX		5	1	6.15
		WRS		9	1	6.45
5		RSD		15	1	27.75
5		CU		47	Packed in 3 cartons	67.90
5		MK-18	18"	9	1	11.80
		MK-24	24"	11	1	12.80
		MK-30	30"	13	1	13.80
		MK-36	36"	15	1	14.80
5		FC-30	30"	145	1	117.55
		FC-42	42"	196	1	157.55

SHORTAGE AND DAMAGES

All PLAN HOLD equipment is carefully packaged and shipped. However, our responsibility ceases when your order is accepted by the carrier. Inspect all shipments BEFORE accepting delivery. If there is any shortage or damage, have the carrier (or his agent) note this in writing on the delivery receipt. If damage or shortage is discovered after material is unpacked, notify the carrier immediately. Their agent will certify your claim after inspecting the shipment. Claims must be filed within 15 days from receipt of shipment.

RETURNED MERCHANDISE

Equipment returned without authorization by PLAN HOLD CORP. will not be accepted. If material is to be returned, write the factory giving the reason for return. The factory will issue a RETURN AUTHORIZATION TAG which must accompany all return shipments. (Tag must be on outside of package.) Return shipments must be freight prepaid (NOT COLLECT) to PLAN HOLD CORP., TORRANCE, CALIF. or AURORA, ILL. as instructed by authorization tag. Returned merchandise is subject to a 10% inspection and restocking charge. "Special" items may not be returned.

CAT. NO. 63 PAGE	DESCRIPTION	CAT. NO.	SHEET WIDTH UNIT SIZE	EST. SHPG. WT. (EA.)	NO. PKD. PER CTN.*	PRICE EACH
5	 Space Saver Cabinet only. Less Brackets, Binders and Data Files.	SC-30 SC-42	30" 42"	215 280	1 1	152.85 192.85
5	 Combo Cabinet only. Less Slide-Out Rack, Binders, etc.	CM-18 CM-24 CM-30 CM-36	18" 24" 30" 36"	57 72 79 86	1 1 1 1	45.10 54.10 63.10 72.10
6	 Adjustable Size Sheet Rack only. Wall Rack Mount not included.	XRA		5	1	9.00
6	 Pressboard Single Sheet Hangers with self-adhesive edge. Use with XRA, XRB and MKX Sheet Racks. Hangers can be cut with scissors.	SA-18 SA-36	18"(1) 36"	3/4 1	Packed 12 doz. per carton	1.80 per doz. 3.00 per doz.
6	 Aluminum Single Sheet Hangers. For use with XRA and XRB Sheet Rack and MKX Slide-Out Rack. Aluminum foil "Kum-Kleen" adhesive fasteners.	XH-18 XH-24 XH-30 XH-36 AXF-144	18" 24" 30" 36"	1 1/2 2 2 1/2 3	12 doz. per carton 1 gross	3.15 per doz. 3.90 per doz. 4.65 per doz. 5.40 per doz. 1.00 per gr.
6	 Slide-Out Rack for use with type SA or XH Single Sheet Hangers or SF Hangers in Combo Cabinet.	MXK-18 MXK-24 MXK-30 MXK-36	18" 24" 30" 36"	8 10 12 15	1 1 1 1	11.80 12.80 13.80 14.80
6	 Type SF PLAN HOLD Hanger for use in XRB Wall Mount, XRA with WS Rack or CM Combo Cabinet with MKX Slide-Out Rack. (1) Sheet size limited only by Rack or Cabinet used. (See page 6 of catalog).	SF	See note (1)	3 1/4 oz	10	1.55
6	 Wall Mount for use with 10 type SF PLAN HOLD Hangers. (1) Sheet size unlimited.	XRB	See note (1)	1	1	4.45
6	 Combo Cabinet only. Less Slide-Out Rack, Binders, etc.	CM-18 CM-24 CM-30 CM-36	18" 24" 30" 36"	57 72 79 86	1 1 1 1	45.10 54.10 63.10 72.10
7	 Plastic identification card holder, 2"x 1 1/2" with adhesive backing and white card.	CDL			Packed and sold only by the doz.	.80 per doz.
7	 2"x2" identification cards for use with Stack Roll Files with doors (specify color).	SRF-100			Pkg's. of 100	.55 per pkg.
7	 Pressboard insert to shorten tube filing size of Stack Roll Files.	SRF-1 LRF-1			12 12	.55 per doz. .80 per doz.
7	 Base and Top for use with Stack Roll Files in Combo Cabinet.	CBT-24 CBT-30 CBT-36		6 7 1/2 9	1 1 1	6.45 6.95 7.45
7	 Pressboard insert to shorten tube filing size of Square Tube Roll Files.	ST-361 ST-161 ST-091			12 12 12	.50 per doz. .60 per doz. .70 per doz.
7	 5"x3" identification cards for use on outside of Square Tube Roll File door.	ST			12	.25 per doz.
7	 14"x14" location cards for indexing inside door of Square Tube Roll Files.	ST-36 ST-16 ST-09			12 12 12	1.00 per doz. 1.00 per doz. 1.00 per doz.
7	 Combo Cabinet only. Less Slide-Out Rack, Binders, etc.	CM-18 CM-24 CM-30 CM-36	18" 24" 30" 36"	57 72 79 86	1 1 1 1	45.10 54.10 63.10 72.10

Availability of materials is contingent upon wars, strikes and other causes beyond our control. We assume no liability for delays or expenses caused the purchaser by such circumstances.

Prices, designs and specifications are subject to change without notice. Shipping weights are approximate and are listed herein in pounds.

*Components are packed in quantities as listed.

